
Concur

Nesting Table






Concur Nesting Table


| Statement of Line | 7 |
|-------------------|----|
| Specifications | 9 |
| Power | 11 |
| - eatures | 13 |
| Finish Colors | 14 |
| BD Design Tool | 16 |



Concur in Arctic White worksurface with Platinum frame


Statement of Line





Frame Assembly

Optional







Modesty Panel





Installation Time

10 minutes per base, including worksurface

Care & Maintenance Instructions

Wipe with a damp cloth using water or gentle, nonabrasive cleaner. For guaranteed safety, patch test with diluted cleaner before wiping entire surface. Wipe dry with a clean cloth.

Warranty

10 years, including parts.

Certifications


ANSI/BIFMA X5.5-2014 ETL Listed, UL Recognized Indoor Advantage Gold™

Specifications

| Frame width | 47.25", 59.05" and 70.85" | |
|---|---|--|
| Frame Color | Platinum and White | |
| Width between front legs | 44.5", 56.25" and 68.1" | |
| Width between rear legs | 40.75", 52.5" and 64.35" | |
| Leg Depth | 21" | |
| Cantilever Depth | 13.75" | |
| Height (excluding top) | 28.5" | |
| Worksurface widths | 48", 60" and 72" | |
| Worksurface depths | 24" and 30" | |
| Worksurface thickness | 1" | |
| Modesty Panel | Steel | |
| Modesty Panel Width | 39.5", 51.25" and 63.1" | |
| Modesty Panel Height | 14" | |
| Clearance between Modesty Panel and Floor | 12" | |
| Castors | Soft, Height Adjustable, Locking | |
| Weight Capacity | 200 lbs | |
| Frame weight without top | 27 lbs | |
| Power in-feed length | 72" | |
| Power Box | 2 electrical outlets with worksurface clamp | |
| Certifications | BIFMAX5.5-2014 | |
| Electrical Compliance | ETL Listed, UL Recognized | |
| | | |




Power



- Power infeed with control box and 6' cord.
- Directional, cannot be back fed
- Connections are non-squential
- Visual indicator of system status
- Connect up to 8 Concur Tables from a single 15 am corded infeed.
- ETL Listed
- UL Recognized



Features



Push button flip/lock/nest functionality



48", 60" and 72" wide / 24" and 30" deep



Optional modestly panel



Optional ganging kit for consistent clean rows and layouts



Locking castors with height adjustability



Two bag drop hooks per table



Optional power distribution system connects up to eight tables




Finishes

Metals **Modesty Panel** F2 White

Laminates

| W2.1 | W2.2 | W2.3 | W2.4 | W2.5 |
|------------|-----------|------------|--------|-----------------|
| Milk White | Maple | Teak | Walnut | Arctic White |
| W2.6 | W2.7 | W2.8 | W2.9 | W2.10 |
| Seagull | Ash Wenge | Clay Wenge | Acacia | Graphite Walnut |





Design and export a customized cut sheet for Concur products in our online 3D Design Tool: amqsolutions.com/concur